# CORRECTION

## **Open Access**

# Correction to: First molecular description, phylogeny and genetic variation of *Taenia hydatigena* from Nigerian sheep and goats based on three mitochondrial genes



John A. Ohiolei<sup>1</sup>, Joshua Luka<sup>2</sup>, Guo-Qiang Zhu<sup>1</sup>, Hong-Bin Yan<sup>1</sup>, Li Li<sup>1</sup>, Abdullahi A. Magaji<sup>3</sup>, Mughees A. Alvi<sup>1</sup>, Yan-Tao Wu<sup>1</sup>, Jian-Qiu Li<sup>1</sup>, Bao-Quan Fu<sup>1</sup> and Wan-Zhong Jia<sup>1\*</sup>

## Correction to: Parasites Vectors (2019) 12:520

https://doi.org/10.1186/s13071-019-3780-5

Following publication of the original article [1], the authors have flagged that the information in the legend of Fig. 1 is detailed in the wrong order.

Please note that the (correct) legend for Fig. 1 is:

**Fig. 1.** Median-joining networks of *Taenia hydatigena* isolates from Nigeria based on complete *nad*1 (**a**) *nad*5 (**b**) *cox*1 (**c**) and concatenated *cox*1*-nad*1*-nad*5 gene sequences (**d**). Circle sizes are proportional to the haplotype frequencies. Numbers in parentheses represent the number of mutations. Small black circles are median vectors (i.e. hypothetical haplotypes).

The authors apologize for any inconvenience caused.

#### Author details

<sup>1</sup> State Key Laboratory of Veterinary Etiological Biology/National Professional Laboratory of Animal Hydatidosis/Key Laboratory of Veterinary Parasitology of Gansu Province, Lanzhou Veterinary Research Institute, Chinese Academy of Agricultural Sciences, Lanzhou 730046, People's Republic of China.

The original article can be found online at https://doi.org/10.1186/s1307 1-019-3780-5.

\*Correspondence: jiawanzhong@caas.cn

<sup>1</sup> State Key Laboratory of Veterinary Etiological Biology/National Professional Laboratory of Animal Hydatidosis/Key Laboratory of Veterinary Parasitology of Gansu Province, Lanzhou Veterinary Research Institute, Chinese Academy of Agricultural Sciences, Lanzhou 730046, People's Republic of China

Full list of author information is available at the end of the article



© The Author(s) 2019. This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/ publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

<sup>2</sup> Department of Veterinary Parasitology and Entomology, Faculty of Veterinary Medicine, University of Maiduguri, Maiduguri, Nigeria. <sup>3</sup> Department of Veterinary Public Health and Preventive Medicine, Faculty of Veterinary Medicine, Usman Danfodiyo University, Sokoto, Nigeria.

Published online: 21 November 2019

#### Reference

 Ohiolei JA, Luka J, Zhu G-Q, Yan H-B, Li L, Magaji AA, Alvi MA, Wu Y-T, Li J-Q, Fu B-Q, Jia W-Z. First molecular description, phylogeny and genetic variation of *Taenia hydatigena* from Nigerian sheep and goats based on three mitochondrial genes. Parasites Vectors. 2019;12:520. https://doi. org/10.1186/s13071-019-3780-5.

### **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.