

CORRECTION

Open Access



Correction to: The population genetics of parasitic nematodes of wild animals

Rebecca Cole* and Mark Viney

Correction to: *Parasit Vectors* (2018) 11:590

<https://doi.org/10.1186/s13071-018-3137-5>

Unfortunately, the original version of this article [1] contains an error. In the section entitled “Influence of anthropogenic disruption on parasitic nematode population genetics”, the passage

“Population genetic studies have revealed multiple, distinct lineages of invasive *A. crassus*, suggesting multiple introduction events from different source populations [149, 150]. Furthermore, a southern to northern clinal decrease in its genetic diversity is seen in Europe, suggesting that *A. crassus* was introduced in southern Europe and has since spread northwards [150].”

should read

“Population genetic studies have revealed multiple, distinct lineages of invasive *A. crassus* in North America versus Europe, suggesting introductions from different source populations [149, 150]. Fur-

thermore, a northern to southern clinal decrease in its genetic diversity is seen in Europe, suggesting that *A. crassus* was introduced in northern Europe and has since spread southwards [150].”

The authors apologize for the inconvenience caused.

The original article can be found online at <https://doi.org/10.1186/s13071-018-3137-5>.

Published online: 09 October 2019

Reference

1. Cole R, Viney M. The population genetics of parasitic nematodes of wild animals. *Parasit Vectors*. 2018;11:590. <https://doi.org/10.1186/s13071-018-3137-5>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

*Correspondence: rc16955@bristol.ac.uk
School of Biological Sciences, University of Bristol, Bristol BS8 1TQ, UK

